Plasma Autoclave LX606LA

Email: info@labdex.com **website:** www.labdex.com

Description

Plasma autoclave LX606LA is a 300 L fully automatic sterilization unit with an LCD touch screen display and microcomputer-controlled system. It has a rectangular structure and is made up of 304 anti-corrosion type stainless steel. It adopts high-purity hydrogen peroxide injection (concentration 58- 60%) and has an inverted hydrogen peroxide automatic liquid addition system to ensure that workers do not directly contact the liquid. The amount of hydrogen peroxide can be adjusted.

Specifications

Capacity	300 L
Chamber dimension	950 x 560 x 560 mm
Sterilization temperature	50℃ ±5℃
Hydrogen peroxide filling method	Cassette, 12 vials of H2O2 / cassette New cassette: Automatic delivery Used cassette: Automatic ejection
Controller	PLC control system
Display	7-inch LCD touch screen display
Printer	Yes
Sterilization cycle	Fast sterilization time ≤25min Standard sterilization time ≤35min Enhanced sterilization time ≤55min
RF power	Frequency 13.56MHz
Alarm system	High & low temperature alarming system
Power	500 W
Dimension	1140 x 780 x 1670 mm
Net weight	340 kg
Packing dimension	1940 x 950 x 1360 mm
Gross weight	410 kg

Features

- It has a 7-inch color touch LCD display and a PLC intelligent control system with one button control
- Provides dry sterilization process
- Equipped rotary vane vacuum pump with an extremely high degree of vacuum
- It has a microcomputer-controlled biological indicator function for the monitoring of biological effects of biological indicators of the constant temperature culture process
- The two layers of aluminum alloy punching plate for loading sterile items have big loading capacity, and high space usage
- Designed with printer, PLC control and Oil mist filter
- It has a Cassette Hydrogen peroxide filling method
- Built-in high & low-temperature alarming system

Applications

- Used to sterilize delicate instruments that are heat and moisture sensitive such as micro instruments, cameras, scopes and light cords in a toxic free environment.

Standard Accessories

- Tray x 2 pcs

Optional Accessories

- Foot switch
- Stainless steel 316 chamber
- Double door

71-75 Shelton Street Covent Garden, London WC2H 9JQ UK.
Email: info@labdex.com | Website: www.labdex.com